ELSEVIER

Analytica Chimica Acta 359 (1998) 341–343

ANALYTICA CHIMICA ACTA

Author Index

Alt, F.
—, Messerschmidt, J. and Weber, G.
Investigation of low molecular weight platinum species in grass 65
Arce, L.
—, Teresa Tena, M., Rios, A. and Valcárcel, M.
Determination of *trans*-resveratrol and other polyphenols in wines by a continuous flow sample clean-up system followed by capillary electrophoresis separation 27

Baeza, J., see Gabriel, D. 173
Ballesteros, E., see González, M. 47
Bartrolí, J., see Puig-Lleixà, C. 311
Basly, J.P.
—, Longy, I. and Bernard, M.
Radiosterilization dosimetry by electron-spin resonance spectroscopy: Cefotetan 107
Bauer, C.G., see Streffer, K. 133
Bernard, M., see Basly, J.P. 107
Breton, P., see Salvador, A. 57
Brigand, P., see Salvador, A. 57
Bru, N., see Salvador, A. 57
Byrnes, I., see Parab, S. 157

Cabrol-Bass, D., see Eghbaldar, A. 283
Chassaigne, H.
— and Łobiński, R.
Determination of cobalamins and cobinamides by microbore reversed-phase HPLC with spectrophotometric, ion-spray ionization MS and inductively coupled plasma MS detection 227
Cremisini, C., see Mester, Z. 133

Dabek-Zlotorzynska, E.
—, P.C. Lai, E. and R. Timerbaev, A.
Capillary electrophoresis: the state-of-the-art in metal speciation studies 1
de Rooij, N.F., see Fiaccabrino, G.C. 263
del Valle, M., see Puig-Lleixà, C. 311
Dinç, E.
— and Onur, F.
Application of a new spectrophotometric method for the analysis of a ternary mixture containing metamizol, paracetamol and caffeine in tablets 93
Dozortsev, V., see Kirowa-Eisner, E. 115
Dreux, M., see Salvador, A. 57
Eghbaldar, A.
—, Forrest, T.P. and Cabrol-Bass, D.
Development of neural networks for identification of structural features from mass spectral data 283

Fang Hu, H., see Wang, H. 39
Fiaccabrino, G.C.
—, de Rooij, N.F. and Koudelka-Hep, M.
On-chip generation and detection of electrochemiluminescence 263
Fittkau, I., see Wuske, T. 321
Forrest, T.P., see Eghbaldar, A. 283

Gabriel, D.
—, Baeza, J., Valero, F. and Lafuente, J.
A novel FIA configuration for the simultaneous determination of nitrate and nitrite and its use for monitoring an urban waste water treatment plant based on N/D criteria 173
Gallego, M., see González, M. 47
Garland, M., see Zeng, Y. 303
Georgakopoulos, C.G.
—, Statheropoulos, M.C. and Montaudo, G.
An expert system for the interpretation of pyrolysis mass spectra of condensation polymers 213
Ghiara, E., see Mester, Z. 133
González, M.
—, Ballesteros, E., Gallego, M. and Valcárcel, M.
Continuous-flow determination of natural and synthetic antioxidants in foods by gas chromatography 47

Haddad, P.R., see Ohta, K. 255
Hawkins, S.J.
—, Ratcliffe, N.M. and Sagastizabal, A.
The use of thin silver films for the detection of low concentrations of hydrogen sulphide 125
Helin, M., see Kulmala, S. 71
Herbreteau, B., see Salvador, A. 57
Hui Ding, T., see Wang, H. 39
Hyppänen, I., see Kulmala, S. 71

Ianni, C., see Magi, E. 237

Ji Dai, R., see Wang, H. 39
Jiang, S.-J., see Li, Y.-C. 205

Jie, N.
—, Yang, D., Zhang, Q., Yang, J. and Song, Z.
Fluorometric determination of periodate with thiamine and its application to the determination of ethylene glycol and glycerol 87
Johnston, M.V., see Mansoori, B.A. 185

Kaatz, H., see Streffer, K. 133
Kim, N., see Volotovsky, V. 143
Kirowa-Eisner, E.
—, Tzur, D. and Dozortsev, V.
New developments in coulometric titrationsNon-isolated counter electrodes 115
Koudelka-Hep, M., see Fiaccabrino, G.C. 263
Kulmala, A., see Kulmala, S. 71
Kulmala, S.
—, Kulmala, A., Helin, M. and Hyppänen, I.
Hot electron-induced time-resolved electrogenerated luminescence of Tb(III) ions at stationary oxide-covered aluminium electrodes 71

Lafuente, J., see Gabriel, D. 173
Laurenczy, G.
—, Lukács, F. and Roulet, R.
A new variable temperature and pressure infrared cell to study liquid and liquid–gas systems 275
Li, Y.-C.
— and Jiang, S.-J.
Determination of Cu, Zn, Cd and Pb in fish samples by slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry 205
Li, Y.
— and Townshend, A.
Evaluation of the adsorptive immobilisation of horseradish peroxidase on PTFE tubing in flow systems for hydrogen peroxide determination using fluorescence detection 149
Ling Gu, J., see Wang, H. 39
Łobiński, R., see Chassaigne, H. 227
Longy, I., see Basly, J.P. 107
Lukács, F., see Laurenczy, G. 275

Magi, E.
— and Ianni, C.
Determination of tributyltin in marine environment by means of liquid chromatography mass spectrometry with a particle beam interface 237
Mahn, J., see Wuske, T. 321
Makower, A., see Streffer, K. 133
Manns, A., see Wuske, T. 321
Mansoori, B.A.
—, Johnston, M.V. and Wexler, A.S.
Laser desorption ionization of size resolved liquid microdroplets 185
Messerschmidt, J., see Alt, F. 65
Mester, Z.
—, Cremisini, C., Ghiara, E. and Morabito, R.
Comparison of two sequential extraction procedures for metal fractionation in sediment samples 133
Mickey Young, M., see Rakicioglu, Y. 269
Montaudo, G., see Georgakopoulos, C.G. 213
Montlló, D., see Puig-Lleixà, C. 311
Morabito, R., see Mester, Z. 133
Morikawa, H., see Ohta, K. 255
Nilsson, N.H.S., see Simpson, S.L. 329
Nong Fu, R., see Wang, H. 39
Nowak, M.
— and Seubert, A.
Ultra-trace determination of bromate in drinking waters by means of microbore column ion chromatography and on-line coupling with inductively coupled plasma mass spectrometry 193

Ohta, K.
—, Morikawa, H., Tanaka, K., Uryu, Y., Paull, B. and Haddad, P.R.
Ion chromatographic behavior of alkali and alkaline earth metal cations on silica gel columns with cation exchange characteristics 255
Onur, F., see Dinç, E. 93

P.C. Lai, E., see Dabek-Zlotorzynska, E. 1
Parab, S.
—, Van Wie, B.J., Byrnes, I., Robles, E.J., Weyrauch, B. and Tiffany, T.O.
Modeling and optimization studies for a sequential flow based bio-analytical system 157
Paull, B., see Ohta, K. 255
Peter, M.G., see Streffer, K. 133
Polzius, R., see Wuske, T. 321
Powell, K.J., see Simpson, S.L. 329
Puig-Lleixà, C.
—, Bartroĺ, J., del Valle, M., Montlló, D. and Tomico, A.
Determination of monochloroacetic acid using a flow injection system featuring a flow through ion-selective electrode and an ion-exchange column for the minimization of interference by chloride 311

R. Timerbaev, A., see Dabek-Zlotorzynska, E. 1
Rakicioglu, Y.
—, Mickey Young, M. and Schulman, S.G.
Limitations of quenching as a method of fluorometric analysis of non-fluorescent analytes 269
Ratcliffe, N.M., see Hawkins, S.J. 125
Rios, A., see Arce, L. 27
Robles, E.J., see Parab, S. 157
Roulet, R., see Laurenczy, G. 275
Roy, D., see Salvador, A. 57

Sagastizabal, A., see Hawkins, S.J. 125
Salvador, A.
—, Herbreteau, B., Breton, P., Roy, D., Brigand, P., Bru, N. and Dreux, M.
Diastereoisomer separation of methylidene malonate 2.1.2 oligomerization products by liquid chromatography using a non-chiral stationary phase 57

Scheller, T., see Streffer, K. 133
Schulman, S.G., see Rakicioglu, Y. 269
Schulmeister, T., see Streffer, K. 133
Seubert, A., see Nowak, M. 193
Simpson, S.L.
—, Powell, K.J., Nilsson, N.H.S. and Sjöberg, S.
Kinetic and thermodynamic considerations in the determination of aluminium using pyrocatechol violet: implications for the use of 'kinetic-based' determinations of metal ions in natural systems 329
Sjöberg, S., see Simpson, S.L. 329
Song, Z., see Jie, N. 87
Statheropoulos, M.C., see Georgakopoulos, C.G. 213
Streffer, K.
—, Kaatz, H., Bauer, C.G., Makower, A., Schulmeister, T., Scheller, F.W., Peter, M.G. and Wollenberger, U. 133

Tanaka, K., see Ohta, K. 255
Teresa Tena, M., see Arce, L. 27
Tiffany, T.O., see Parab, S. 157
Tomico, A., see Puig-Lleixà, C. 311
Townshend, A., see Li, Y. 149
Tzur, D., see Kirowa-Eisner, E. 115

Ulrich, N.
Speciation of antimony(III), antimony(V) and trimethylstiboxide by ion chromatography with inductively coupled plasma atomic emission spectrometric and mass spectrometric detection 245
Uryu, Y., see Ohta, K. 255

Valcárcel, M., see Arce, L. 27
Valcárcel, M., see González, M. 47
Valero, F., see Gabriel, D. 173
Van Wie, B.J., see Parab, S. 157
Volotovsky, V.
— and Kim, N.
Ascorbic acid determination with an ion-sensitive field effect transistor-based peroxidase biosensor 143

Wang, H.
—, Ling Gu, J., Fang Hu, H., Ji Dai, R., Hui Ding, T. and Nong Fu, R.
Study on the chiral separation of basic drugs by capillary zone electrophoresis using β-CD and derivatized β-CDs as chiral selectors 39
Weber, G., see Alt, F. 65
Wexler, A.S., see Mansoori, B.A. 185
Weyrauch, B., see Parab, S. 157
Wollenberger, U., see Streffer, K. 133
Wuske, T.
—, Fittkau, I., Mahn, J., Polzius, R. and Manns, A.
Pentachlorophenol detection at the source of emission Sampling equipment and immunochemical analysis 321

Yang, D., see Jie, N. 87
Yang, J., see Jie, N. 87

Zeng, Y.
— and Garland, M.
An improved algorithm for estimating pure component spectra in exploratory chemometric studies based on entropy minimization 303
Zhang, Q., see Jie, N. 87